Printing date 10/23/2023

1 Identification

· Product identifier

· Trade name: WAKOL Z 615 Levelling compound, dust-reduced · Application of the substance / the mixture Knife filler/ Surfacer

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Loba-Wakol, LLC 2732 Hwy 74 West Wadesboro, NC 28170, USA info@loba-wakol.com +1 704 527 5919

· Information department: Product safety department.

• Emergency telephone number: Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 98229: (USA domestic) 1 800 535 5053 or International (001) 352 323 3500

2 Hazard(s) identification

| · Classification of the substance or mixture | |
|---|--|
| GHS08 Health hazard | |
| Carcinogenicity 1A | H350 May cause cancer. |
| Specific Target Organ Toxicity - Repeated Exposure 1 | H372 Causes damage to organs through prolonged or repeated exposure. |
| GHS05 Corrosion | |
| Eye Damage 1 | H318 Causes serious eye damage. |
| GHS07 | |
| Skin Irritation 2 | H315 Causes skin irritation. |
| Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms | Globally Harmonized System (GHS). |
| | |
| GHS05 GHS08 | |
| • Signal word Danger | |
| Hazard-determining components of labeling: quartz (SiO2)* | |
| Cement, portland, chemicals | |
| • Hazard statements Causes skin irritation. | |
| Causes sun ir ritation. | (Contd. on page 2) |



Reviewed on 10/23/2023

Page 2/10

Safety Data Sheet acc. to OSHA HCS

Printing date 10/23/2023

Ansnruch verbing

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

(Contd. of page 1)

Causes serious eye damage. May cause cancer. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Avoid breathing dust. *Wear protective gloves / eye protection.* If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 *Health* = *3 0 Fire = 0FIRE **REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures · Description: Knifing filler / Surfacer · Dangerous components: 14808-60-7 quartz (SiO2)* >25-<50% 🚸 Carcinogenicity 1A, H350; Specific Target Organ Toxicity - Repeated Exposure 1, H372 471-34-1 calcium carbonate >25-<50% 65997-15-1 Cement, portland, chemicals >10-≤20% 🟟 Eye Damage 1, H318; 🚯 Skin Irritation 2, H315; Specific Target Organ Toxicity - Single Exposure 3, H335 7778-18-9 calcium sulphate, natural >2.5-55% · Additional information: Concentrations have been withheld as a trade secret.

4 First-aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

(Contd. on page 3)

US —

Printing date 10/23/2023

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

(Contd. of page 2)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid formation of dust.

• Environmental precautions: Do not allow product to reach sewage system or any water course.

- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• PAC-1:

14808-60-7 quartz (SiO2)*: 0.075 mg/m3

• <u>PAC-2:</u>

14808-60-7 quartz (SiO2)*: 33 mg/m3

• <u>PAC-3:</u>

14808-60-7 quartz (SiO2)*: 200 mg/m3

7 Handling and storage

- · Handling:
- *Precautions for safe handling Use only in well ventilated areas.*
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)





Printing date 10/23/2023

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

(Contd. of page 3)

• Further information about storage conditions:

Store in dry conditions. Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

| Control parameters Components with li | mit values that require monitoring at the workplace: | |
|--|--|--------------------|
| 14808-60-7 quartz | | |
| PEL (USA) | Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2 | |
| REL (USA) | Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A | |
| TLV (USA) | Long-term value: 0.025* mg/m³ *respirable particulate matter, A2 | |
| BOELV (European | Union) Long-term value: 0.1* mg/m³ *respirable fraction | |
| 471-34-1 calcium c | arbonate | |
| PEL (USA) | Long-term value: 15* 5** mg/m³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| TLV (USA) | TLV withdrawn | |
| 65997-15-1 Cemen | t, portland, chemicals | |
| PEL (USA) | Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| TLV (USA) | Long-term value: 1* mg/m³ E; *as respirable fraction, A4 | |
| 7778-18-9 calcium | sulphate, natural | |
| PEL (USA) | Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction | |
| REL (USA) | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction | |
| TLV (USA) | Long-term value: 10* mg/m³ *as inhalable fraction | |
| Additional informa | <i>tion:</i> The lists that were valid during the creation were used as basis. | |
| | equipment: and hygienic measures: nary measures for handling chemicals should be followed. | |
| | e all soiled and contaminated clothing. | (Contd. on page 5) |

Page 5/10

Safety Data Sheet acc. to OSHA HCS

Printing date 10/23/2023

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

(Contd. of page 4)

Wash hands before breaks and at the end of work. Avoid contact with the eyes. · Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation. If the occupational exposure limit is exceeded. • Recommended filter device for short term use: Filter P2 • Protection of hands: Protective gloves Preventive skin protection by use of skin-protecting agents is recommended. · Material of gloves Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.35 mm The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Tightly sealed goggles · **Body protection:** Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties General Information · Appearance: Form: Powder Color: Grey **Odorless** · Odor: · Odor threshold: Not determined. • *pH-value at 20 °C (68 °F):* 11 (ISO 976)

Undetermined.

Undetermined.

Not applicable.

Not determined.

Product is not selfigniting.

- · Change in condition Melting point/Melting range: Boiling point/Boiling range:
- · Flash point:
- · Flammability (solid, gaseous):
- · Decomposition temperature: Not determined.
- · Ignition temperature:

(Contd. on page 6)



Printing date 10/23/2023

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

| | | (Contd. of page 5) |
|--|---|--------------------|
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| · Vapor pressure: | Not applicable. | |
| Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate | 1.1 g/cm³ (9.18 lbs/gal) (EN ISO 2811-1) Not determined. Not applicable. Not applicable. | |
| • Solubility in / Miscibility with Water: | Soluble. | |
| · Partition coefficient (n-octanol/water |): Not determined. | |
| Viscosity: Dynamic: Kinematic: | Not applicable. Not applicable. | |
| VOC content: | 0.00 % | |
| Solids content: | 100.0 % (DIN EN 827.8.2) | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7778-18-9 calcium sulphate, natural

- *Oral LD50 > 5,000 mg/kg (rat)*
- · Primary irritant effect:
- on the eye:

Based on available data, the classification criteria are not met.

Strong irritant with the danger of severe eye injury.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

(Contd. on page 7)

US



Printing date 10/23/2023

Anspruch verbi

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

(Contd. of page 6) When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

14808-60-7 quartz (SiO2)*: 1 • **NTP (National Toxicology Program)**

- 14808-60-7 quartz (SiO2)*: K
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agent:* Water, if necessary with cleansing agents.

14 Transport information

| · UN-Number | | |
|------------------------------|------|--------------------|
| · DOT, ADR, ADN, IMDG, IATA | Void | |
| · UN proper shipping name | | |
| · DOT, ADR, ADN, IMDG, IATA | Void | |
| • Transport hazard class(es) | | |
| · DOT, ADR, ADN, IMDG, IATA | | |
| · Class | Void | |
| | | (Contd. on page 8) |
| | | |



Reviewed on 10/23/2023

Printing date 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

| | (Contd. of page 7) |
|---|--|
| · Packing group | 77 • 1 |
| DOT, ADR, IMDG, IATA | Void |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Not applicable. |
| • Transport in bulk according to Annex II | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| ·DOT | |
| · Remarks: | not regulated |
| · ADR | |
| · Remarks: | not regulated |
| ·IMDG | |
| · Remarks: | not regulated |
| ·IATA | |
| · Remarks: | not regulated |
| · UN "Model Regulation": | Void |

15 Regulatory information

| Safety, health and environmental regulations/legislation specific for the substance or Sara | mixture |
|--|-------------------|
| Section 355 (extremely hazardous substances): | |
| None of the ingredient is listed. Section 313 (Specific toxic chemical listings): | |
| None of the ingredients is listed. TSCA (Toxic Substances Control Act): | |
| All ingredients are listed or are not required to be listed on the TSCA inventory. Hazardous Air Pollutants | |
| None of the ingredients is listed. Proposition 65 Chemicals known to cause cancer: | |
| None of the ingredients is listed. Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. New Jersey Right-to-Know List: | |
| 14808-60-7 quartz (SiO2)* | |
| 7778-18-9 calcium sulphate, natural New Jersey Special Hazardous Substance List: | |
| 14808-60-7 quartz (SiO2)*: CA Pennsylvania Right-to-Know List: | |
| 14808-60-7 quartz (SiO2)* | (Contd. on page 9 |

Printing date 10/23/2023

Reviewed on 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

(Contd. of page 8)

7778-18-9 calcium sulphate, natural · Pennsylvania Special Hazardous Substance List: None of the ingredients is listed. · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS08 · Signal word Danger • Hazard-determining components of labeling: quartz (SiO2)* Cement, portland, chemicals · Hazard statements Causes skin irritation. Causes serious eye damage. May cause cancer. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Avoid breathing dust. Wear protective gloves / eye protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. · National regulations: • *VOC*: VOC (USA): 0,0 g/l / 0,0 lb/gl · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H350 May cause cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.
- · Contact:
- · Date of preparation / last revision 10/23/2023
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 10)

US



Reviewed on 10/23/2023

Printing date 10/23/2023

Trade name: WAKOL Z 615 Levelling compound, dust-reduced

ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Carcinogenicity 1A: Carcinogenicity - Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1



(Contd. of page 9)